



WINDOWS DIGITAL PODIUM




SMART SOLUTION FOR
DELIVERING PRESENTATIONS

SOFTLOGIC'S WINDOWS DIGITAL PODIUM

 Address: 512A, Gera Imperium Alpha,
Kharadi, Pune-411014.

 Website: www.softlogic.co.in

 Email ID: sales@softlogic.co.in

 Mobile: +91 72197 96011

+91 95117 47200

+91 98230 11165

+91 73852 75904

KEY FEATURES


- We manufacture windows digital podiums with best quality steel sheets
- Made-in-India product
- Excellent product quality & after sales service support
- LED interactive display with IPS panel
- High quality amplifier & speakers
- Audio controls at your finger-tips
- Advanced security mechanism for each podium compartment
- Ability to connect with multiple display options including projector screens, interactive whiteboard, LED displays






TECHNICAL SPECIFICATION

Front Signage	Powered front windows digital signage to display name/logo of organization
Ports on Controller (Minimum)	VGA, HDMI, USB, Audio IN, HDMI or more
Power	5 V DC
Gooseneck Microphone	XLR output, permanently polarised condenser, highly directional featuring hypercardioid /lobar directivity.
Amplifier Options	60/90/120 Watts
Speakers Options	Speaker of 12/24/50W
Wireless Microphone Units	One handheld Microphone and One Lapel Microphone with single receiver / One head- worn microphone with single receiver
Sliding Trays	Provision for keeping laptop and Keyboard & Mouse
Power Supply	180 -240V, 50Hz, AC Supply
Construction	MS Steel with Soft wheels
Display	Built-in highly sensitive Interactive Panel with adjustable Motorized (optional) tilt
Technology	Interactive Panel should have both EMR & P-CAP touch technologies to have finger and 2 mm thick touch stylus
Screen Type	LED
Size	53.0 cm (21 inches) or higher
Resolution	1920 x 1080 FHD or higher

 Address: 512A, Gera Imperium Alpha, Kharadi, Pune-411014.

 Website: www.softlogic.co.in

 Email ID: sales@softlogic.co.in

 Mobile: +91 72197 96011
+91 95117 47200

+91 98230 11165

+91 73852 75904




TECHNICAL SPECIFICATION

Aspect ratio	16:9
Computer interface	One USB, One VGA/DVI/HDMI Port
Interactive Resolution	4000 Lpi (lines per inch)
Response Time	5ms
Viewing Angles	170(H) ; 160(V)
Touch	Finger and Stylus
Reading accuracy	±0.5 mm (center)
Tracking speed	Approximately 200 points per second
Pen Pressure sensitivity	1024 Levels


IDEAL FOR

- ☐ Conferences and Seminars
- ☐ Lectures and Educational Environments
- ☐ Corporate Presentation
- ☐ Public Speaking & Events
- ☐ Hybrid and Virtual Events
- ☐ Smart Theatres and Auditoriums

 Address: 512A, Gera Imperium Alpha,
Kharadi, Pune-411014.

 Website: www.softlogic.co.in

 Email ID: sales@softlogic.co.in

 Mobile: +91 72197 96011
+91 95117 47200
+91 98230 1165
+91 73852 75904